

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S86	0	"704"/257.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:31
S87	0	"704"/258.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:30
S88	0	"704"/3.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:31
S89	0	"704"/9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:31

EAST Search History

S90	0	"704"/1-10.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:31
S91	0	"704"/257.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:34
S92	0	"704"/258.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:32
S93	0	"704"/3.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:32

EAST Search History

S94	0	"704"/9.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:32
S95	0	"704"/1-10.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:32
S96	0	@ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:32
S97	0	"704"/257.ccls. and @ad<"20040730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:35

EAST Search History

S98	0	"704"/257.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:36
S99	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:36
S10 0	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input\$4 with (way approach method) with (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:37
S10 1	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input\$4 with (way approach method) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/08 19:38

EAST Search History

S10 2	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad) and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:03
S10 3	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:05
S10 4	0	"704"/1-9.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:06
S10 5	1	"704"/\$.ccls. and @ad<"20030730" and (("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:08

EAST Search History

S11 2	0	"704"/257.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:13
S11 3	0	"704"/3.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:11
S11 4	0	"704"/10.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:11
S11 5	0	"704"/\$.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:11

EAST Search History

S11 6	0	@ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and input\$4 with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:12
S11 7	0	"704"/257.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:15
S11 8	0	"704"/3.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:13
S11 9	0	"704"/10.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:13

EAST Search History

S12 0	0	"704"/\$.ccls. and @ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:14
S12 1	0	@ad<"20040730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:14
S12 2	0	"704"/257.ccls. and @ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:16
S12 3	0	"704"/3.ccls. and @ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:17

EAST Search History

S12 4	0	"704"/10.ccls. and @ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:17
S12 5	2	"704"/\$.ccls. and @ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:18
S12 6	24	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/09 17:20
S12 7	8	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (enter\$4 input\$4) with (stroke phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin") and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 09:47

EAST Search History

S12 8	2	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) same (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 09:50
S12 9	7	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function) and (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 09:50
S13 0	7	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function mode) and (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 10:27
S13 1	3	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function mode) same (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and (input\$4 near2 sequence) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 10:30

EAST Search History

S13 2	9	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function mode) same (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:55
S13 3	9	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function mode) same (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/10 10:30
S13 4	1	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (way approach method model function mode) same (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4)) and (zi8 "zi 8")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:57
S13 5	1	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (dictionary database) and (enter\$4 input\$4) with (stroke and (phonetic pinyin pin-yin "pin yin" zhuyin zhu-yin "zhu yin")) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4)) and (zi8 "zi 8")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:57

EAST Search History

S13 6	1	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (dictionary database) and (enter\$4 input\$4) with (stroke) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4)) and (zi8 "zi 8"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:58
S13 7	1	@ad<"20030730" and (((("reduced keyboard" keypad key-pad "key pad") and (enter\$4 input\$4) with (stroke) and (database "data base" data-base) and (ideogra\$4 logogra\$4 pictogra\$4 Chinese Japanese) and display\$4)) and (zi8 "zi 8"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:58
S13 8	5	@ad<"20030730" and ("reduced keyboard" keypad key-pad "key pad") and (zi8 "zi 8"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:58